



## SLO1068 10.4" TFT LCD, LED Backlight 1600nits,SVGA

10.4" TFT LCD panel, built-in 1600 nits high bright for sunlight readable LCD display, high transmittance color filter, high transmission polarizing plates, Low Power Consumption, suitable for kiosk, advertising, POS, marine, transportation, gaming, studio display, gas pump.

### Key Features

- Sunlight Readable
- LED Backlight
- High Shock & Vibration Resistance
- Low Power Consumption
- Wide Operation Temperature. (-20°C ~ 60°C)
- High Uniformity
- Low EMI Noise
- Wide Dimming
- Life Expectancy



## Specifications

V1

<b>Model No.</b>	<b>SLO1068</b>
<b>Description</b>	10.4" TFT LCD, LED Backlight 1600 nits, SVGA
<b>Display Area (mm)</b>	210.2 (H) x 158.4(V) mm
<b>Brightness</b>	1,600 cd/m <sup>2</sup>
<b>Resolution</b>	800 x 600 (SVGA)
<b>Contrast Ratio</b>	400 : 1
<b>Pixel Pitch (mm)</b>	0.264(H) x 0.264(V)
<b>Viewing Angle</b>	+45°~-65°(H), +65°~-65°(V)
<b>Display Colors</b>	262,144 colors
<b>Response Time (Typical)</b>	25ms (Typical)
<b>Sync</b>	LVDS
<b>Power Consumption</b>	11.4W
<b>Dimensions (mm)</b>	279(W) x 204(H) x 45(D)mm
<b>Weight (Net)</b>	1.3kg
<b>LED Driving Board</b>	LID 10A09
<b>Control Board (Optional)</b>	<input type="checkbox"/> AD5621GA <input type="checkbox"/> AD5621GD <input type="checkbox"/> AD5766GDVA <input type="checkbox"/> AD2662GDVAR
<input type="checkbox"/> AD5621GA	VGA+Audio
<input type="checkbox"/> AD5621GD	VGA+DVI
<input type="checkbox"/> AD5766GDVA	VGA+CVBS+S-Video+Audio (Optional DVI)
<input type="checkbox"/> AD2662GDVAR	VGA+DVI (Optional S-Video/ Component / Audio)
<b>F / R Control Button</b>	<input type="checkbox"/> 5 Key <input type="checkbox"/> 4 Key
<input type="checkbox"/> 5 Key	Power Switch, Menu, Select (+,-), Auto
<input type="checkbox"/> 4 Key	Power Switch, Menu, Select (+,-),
<b>OSD Menu</b>	Brightness, Contrast, H/V Position, Color, Phase, Clock...
<b>Optional</b>	<input type="checkbox"/> AOT <input type="checkbox"/> Touch Screen

*Specifications are subject to change without notice.*

*All brands or product names are trademarks or registered trademarks of their respective companies.*





### Ordering Information

Model Name	Description
<b>SLO1068-EGB-A01</b>	10.4", 1600nits, SVGA, LID10A09, AD5621GA, O/B, AR Glass, V01

### Optional Accessories

Part Number	Description
<b>840612051100</b>	ADAPTER.12V.5A.60W.EA1050A,P
<b>810618301010</b>	CABLE.POWER.AC.1830mm USA type
<b>810618301090</b>	CABLE,POWER,AC,1830mm Europe type
<b>810618301050</b>	CABLE.POWER.AC.1830mm UK type
<b>810618301170</b>	CABLE.POWER,AC,1830mm Australia type
<b>810618301030</b>	CABLE.POWER.AC.1830mm Japan type