






# PICMG (full size PCI/ISA) Passive Backplanes


Product Code	Systems	Amount of Slots			Power Connectors			Dimensions [in mm]
		ISA	PCI	PICMG	P8/P9	ATX	Terminal	
<b>PBPI-4S</b>	single	-	3	1	✓	-	✓	264.4 x 92.5
<b>PBPI-5S</b>	single	2	2	1	✓	-	-	254.8 x 110
<b>PBPI-6SA</b>	single	1	4	2	✓	✓	✓	264.6 x 133.4
<b>PBPI-8SA</b>	single	2	4	3	✓	✓	✓	265 x 218
<b>PBPI-10SA</b>	single	4	4	2	✓	✓	✓	265 x 221.4
<b>PBPI-14SA</b>	single	8	4	2	✓	✓	✓	253.8 x 316
<b>PBPI-14S2</b>	mirrored	8	4	2	✓	-	✓	264.2 x 311.2
<b>PBPI-17SQ</b>	quad	1 / 1 / 1 / 1	2 / 2 / 2 / 3	1 / 1 / 1 / 1	✓	-	-	264.2 x 415.9
<b>PBPI-18SD</b>	dual	3 / 3	4 / 4	2 / 2	✓	-	-	264.2 x 415.9
<b>PBPI-19S</b>	single	13	4	2	✓	-	✓	264.2 x 415.9

**PBPI-4S**

**PBPI-5S**

**PBPI-6SA**

**PBPI-8SA**


PBPI-10SA




PBPI-14SA



## PICMG Passive Backplanes with PCI Bridge

Product Code	Systems	Amount of Slots			Power Connectors			Dimensions [in mm]
		ISA	PCI	PICMG	P8/P9	ATX	Terminal	
PBPX-14S7	single	5	7	2	✓	✓	✓	253 x 316



PBPX-14S7

ATX POWER

### 14-slot Passive Backplane with PCI Bridge


14-slot PC/AT passive backplane with PCI Bridge 1.0 for 7 free PCI slots, 7 x PCI, 2 x PICMG and 5 x ISA 4-layer PCB with ground/power planes

LED power indicators: +5 V, -5 V, +12 V, -12 V and +3.3 V


20-pin ATX connector, standard AT connector, 5-pin terminal block

Size : 315.1 x 253.1 mm


PBPI-14S2




PBPI-17SQ



PBPI-19S




PBPI-18SD




# PISA (half-size PCI/ISA) Passive Backplanes

Product Code	Systems	Amount of Slots			Power Connectors			Dimensions [in mm]
		ISA	PCI	PISA	P8/P9	ATX	Terminal	
<b>PBP-4S</b>	single	-	3	1	✓	-	✓	175 x 98
<b>PBP-5S</b>	single	1	3	2	✓	-	✓	175 x 128
<b>PBP-6S</b>	single	1	4	2	✓	-	✓	175 x 149
<b>PBP-14S</b>	single	8	4	2	✓	-	✓	175 x 311.2


PBI-4S




PBI-5S



PBI-6S



PBI-14SB







# ISA (half-size) Passive Backplanes

Product Code	Systems	Amount of Slots			Power Connectors			Dimensions [in mm]
		ISA	PCI	PICMG	P8/P9	ATX	Terminal	
PBI-4SA	1	4			✓	-	✓	164.4 x 96.3 mm
PBI-4SB	1	4			✓	-	-	164.4 x 96.3 mm
PBI-4SC	1	4			✓	-	-	164.4 x 96.3 mm
PBI-6SA	1	6			✓	-	✓	175 x 132.8 mm
PBI-8SA	1	8			✓	✓	✓	175 x 218 mm
PBI-14SA	1	10			✓	✓	✓	175 x 224.5 mm
PBI-20S	1	20			✓		-	199.4 x 416.6 mm
PBI-20SD	2	10 + 10			✓	-	-	199.4 x 416.6 mm
PBI-20SQ	4	5 + 5 + 5 + 5			✓	-	-	199.4 x 416.6 mm


PBI-4SA




PBI-4SC




PBI-4SB




PBI-6SA




**PBI-8SA**



**PBI-14SA**



**PBI-20S/SD/SQ**



# PICMG (full-size PCI/ISA) Riser Cards

Product Code	Systems	Amount of Slots			Power Connectors			Dimensions [in mm]
		ISA	PCI	PICMG	P8/P9	ATX	Terminal	
<b>PBR-6SA</b>	single	1 front	3 back	2 front	✓	✓	✓	284.1 x 81.2

